


PRO-LITE Carbon Wheel Code Edition



PRO-LITE MY09 Wheel Set Specification - V080701

Disc

Series	Pandova	
Type	Tubular	Clincher
Code / Shimano	Pandova-R00-MT-S	Pandova-R00-XH-S
Code / Campy	Pandova-R00-MT-C	Pandova-R00-XH-C
Rim	Full carbon Monocoque	Full carbon Alloy Brake wall
	3 K	3 K
Hub	2 in 1	2 in 1
	Time & Track	Time & Track
Skewer	Quick release x 1 & Track Axle set	Quick release x 1 & Track Axle set
Brake Pad	Yes	Yes
Valve cover	Yes	Yes
Single Wheel Bag	--	--
Weight	1295g / Road type without decal	1380g / Road type without decal

4 Spoke

Series	Rome		
Type	Tubular		Clincher
Code / Front	Rome-F4K-MT		
Code / Shimano		Rome-R4K-MT-S	
Code / Campy		Rome-R4K-MT-C	
Rim	Full carbon Monocoque	Full carbon Monocoque	
	3 K	3 K	
Hub	2 in 1	2 in 1	
	Time & Track	Time & Track	
Skewer	Quick release x 1 & Track Axle set	Quick release x 1 & Track Axle set	
Brake Pad	Yes	Yes	
Single Wheel Bag	--	--	
Weight	TBA	TBA	

PRO-LITE MY09 Wheel Set Specification - V080701

Carbon 2 in 1 (Time Trail & Track)

Series	Vicenza					
Type	Tubular			Clincher		
	Front		Rear	Front		Rear
Code / Front	Vicenza-F50-MT	Vicenza-F90-MT		Vicenza-F50-XH	Vicenza-F90-XH	---
Code / Shimano			Vicenza-R90-MT-S	---	---	Vicenza-R90-XH-S
Code / Campy			Vicenza-R90-MT-C	---	---	Vicenza-R90-XH-C
Profile	50 mm	90 mm	90 mm	50 mm	90 mm	90 mm
Rim	Full carbon Monocoque	Full carbon Monocoque	Full carbon Monocoque	Full carbon Alloy Brake wall	Full carbon Alloy Brake wall	Full carbon Alloy Brake wall
	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole
Lasing	Radial	Radial	2 Cross	Radial	Radial	2 Cross
Hub	Vicenza 2 in1	Vicenza 2 in1	Vicenza 2 in1	Vicenza 2 in1	Vicenza 2 in1	Vicenza 2 in1
	20	20	24	20	20	24
Spoke	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero
	Oxidation Black	Oxidation Black	Oxidation Black	Oxidation Black	Oxidation Black	Oxidation Black
Spoke Length :F	254	213	---	254	213	---
Spoke Length :R	---	---	230 / 233	---	---	230 / 233
Nipple	Intergraded	Intergraded	Intergraded	Intergraded	Intergraded	Intergraded
Skewer	Quick release x 1 & Track Axle set	Quick release x 1 & Track Axle set	Quick release x 1 & Track Axle set	Quick release x 1 & Track Axle set	Quick release x 1 & Track Axle set	Quick release x 1 & Track Axle set
Sprocket	---	---	Yes	---	---	Yes
Lock Ring	---	---	Yes	---	---	Yes
Nipple Driver	Yes	Yes	Yes	Yes	Yes	Yes
Spoke Holder	Yes	Yes	Yes	Yes	Yes	Yes
Brake Pad	Yes	Yes	Yes	Yes	Yes	Yes
Spare Spoke set	Yes	Yes	Yes	Yes	Yes	Yes
Single Wheel Bag	Yes	Yes	Yes	Yes	Yes	Yes
Weight	800 g (V)	950 g (V)	1084 g (V)	1010 g (V)	1160 g (V)	1342 g (V)

Weight information come from Shimano version wheelsets, without Rim tape and Quickrelease

PRO-LITE MY09 Wheel Set Specification - V080701

Track			
Series	ROSA		
Type	Carbon Tubular		Alloy Clincher
Code /Shimano	Rosa -P55-MT	Rosa -P99-MT	Rosa -P33-AH
Profile -Front	50 mm	90 mm	30 mm
Profile -Rear	50 mm	90 mm	30 mm
Rim	Full carbon Monocoque	Full carbon Monocoque	Alloy
Front	Radial	Radial	3 Cross
Rear	2 Cross	2 Cross	3 Cross
Hub	Rosa Track 20 x 24	Rosa Track 20 x 24	Rosa Track 28 x 32
Spoke	Pro-Lite 2.8 Aero	Pro-Lite 2.8 Aero	Pro-Lite 2.8 Aero
	Oxidation Black	Oxidation Black	Oxidation Black
Spoke Length :F	254	213	263
Spoke Length :R	268	228	284
Nipple	Intergraded	Intergraded	Brass
Skewer	Track Axle	Track Axle	Track Axle
Sprocket	Yes	Yes	Yes
Lock Ring	Yes	Yes	Yes
Nipple Driver	Yes	Yes	---
Spoke Holder	Yes	Yes	---
Brake Pad	Yes	Yes	---
Spare Spoke set	Yes	Yes	---
Single Wheel Bag	2 bags	2 bags	---
Weight	Front: 812g Rear: 920g (V)	Front: 975g Rear: 1076g (V)	Front: 1066g Rear: 1180g (V)

Weight information come from Shimano version wheelsets, without Rim tape and Sprocket

PRO-LITE MY09 Wheel Set Specification - V080701

Carbon Racing

Series	Gavia -Carbon							
Type	Tubular			Clincher				
Code /Shimano	Gavia -P55-MT-S	Gavia -P59-MT-S	Gavia -P99-MT-S	Gavia -P55-MH-S	Gavia -P33-MH-S	Gavia -P55-HX-S	Gavia -P59-XH-S	Gavia -P99-XH-S
Code / Campy	Gavia -P55-MT-C	Gavia -P59-MT-C	Gavia -P99-MT-C	Gavia -P55-MH-C	Gavia -P33-MH-C	Gavia -P55-HX-C	Gavia -P59-XH-C	Gavia -P99-XH-C
Profile -Front	50 mm	50 mm	90 mm	50 mm	38 mm	50 mm	50 mm	90 mm
Profile -Rear	50 mm	90 mm	90 mm	50 mm	38 mm	50 mm	90 mm	90 mm
Rim	Full carbon Monocoque	Full carbon Monocoque	Full carbon Monocoque	Full carbon Monocoque	Full carbon Monocoque	Full carbon Alloy Brake wall	Full carbon Alloy Brake wall	Full carbon Alloy Brake wall
	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole	UD+ 3 K spoke hole
Front	2 Cross	2 Cross	2 Cross	2 Cross	2 Cross	2 Cross	2 Cross	2 Cross
Rear	3 Cross	3 Cross	3 Cross	3 Cross	3 Cross	3 Cross	3 Cross	3 Cross
Hub	Bolzano	Bolzano	Bolzano	Bolzano	Bolzano	Bolzano	Bolzano	Bolzano
	20 x 24	20 x 24	20 x 24	20 x 24	20 x 24	20 x 24	20 x 24	20 x 24
Spoke	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero
	Oxidation Black	Oxidation Black	Oxidation Black	Oxidation Black	Oxidation Black	Oxidation Black	Oxidation Black	Oxidation Black
Spoke Length :F	276	276	236	276	294	276	276	236
Spoke Length :R	282 / 285	242 / 245	242 / 245	282 / 285	286 / 297	282 / 285	242 / 245	242 / 245
Nipple	Intergraded	Intergraded	Intergraded	Intergraded	Intergraded	Intergraded	Intergraded	Intergraded
Skewer	Brunico Carbon / Ti.	Brunico Carbon / Ti.	Brunico Carbon / Ti.	Brunico Carbon / Ti.	Brunico Carbon / Ti.	Brunico Carbon / Ti.	Brunico Carbon / Ti.	Brunico Carbon / Ti.
Nipple Driver	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Spoke Holder	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Brake Pad	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Spare Spoke set	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Single Wheel Bag	2 Bags	2 Bags	2 Bags	2 Bags	2 Bags	2 Bags	2 Bags	2 Bags
Weight	Front 756 g Rear 928 g (V)	Front 756 g Rear 1070 g (V)	Front 910 g Rear 1070 g (V)	Front 828 g Rear 1012 g (V)	Front 760 g Rear 964 g (V)	Front 1002 g Rear 1170 g (V)	Front 1002 g Rear 1355 g (V)	Front 1186 g Rear 1355 g (V)

Weight information come from Shimano version wheelsets, without Rim tape and Quickrelease

PRO-LITE MY09 Wheel Set Specification - V080701

Alloy Racing

Series	Gavia -Alloy	Bracciano		Stelvio	Luciano	Como
Code /Shimano	Gavia -P22-AH-S	Bracciano-SS	Bracciano-BS	Stelvio-S	Luciano-S	Como-S
Code / Campy	Gavia -P22-AH-C	Bracciano-SC	Bracciano-BC	Stelvio-C	Luciano-C	Como-C
Profile	22 MM	27 mm	27 mm	30 mm	30 mm	30 mm
Rim	KLM-T10 Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
	Anodized Black	Polish silver	shot pinning Black	Anodized Black	Anodized Black	Anodized Black
Rim Joint	Sleeve	Welding	Welding	Sleeve	Sleeve	Pinned
Lasing	2 Cross / 3 Cross	Radial / 2 Cross	Radial / 2 Cross	Radial / 2 Cross	Radial / 2 Cross	Radial / 2 Cross
Hub	Bolzano	2 x 5 bearing	2 x 5 bearing	2 x 5 bearing	2 x 4 bearing	Rollground
	20 x 24	20 x 24 H	20 x 24 H	20 x 24 H	20 x 24 H	20 x 24 H
Spoke	Pro-Lite Double Butted 2.3 Aero	Peo Lite 2.0-1.6 Aero	Peo Lite 2.0-1.6 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero
	Oxditaion Black	Oxditaion Black	Oxditaion Black	Oxditaion Black	Oxditaion Black	Oxditaion Black
Spoke Length :F	288	278	278	273	271	271
Spoke Length :R	298 / 301	281 / 285	281 / 285	276 / 278	278 / 279	Shimano : 278 / 281 Campy : 276 / 279
Nipple	Alloy	Alloy	Alloy	Alloy	Brass	Brass
Skewer	Quickrelease -ALLOY	Quickrelease -ALLOY	Quickrelease -ALLOY	Quickrelease -ALLOY	Quickrelease -ALLOY	Quickrelease -ALLOY
Nipple Driver	---	---	---	---	---	---
Spoke Holder	---	---	---	---	---	---
Brake Pad	---	---	---	---	---	---
Spare Spoke set	---	---	---	---	---	---
Single Wheel Bag	---	---	---	---	---	---
Weight (F / R)	Front 640 g Rear 832 g	Front 618 g Rear 864 g (V)	Front 618 g Rear 864 g (V)	Front : 696g Rear: 944g (V)	Front - 748 g Rear - 980 g	Front - 906 g Rear - 1192 g / Shimano(V)

Weight information come from Shimano version wheelsets, without Rim tape and Quickrelease

Front - 906 g
Rear - 1255 g / Camp.(V)

PRO-LITE MY09 Wheel Set Specification - V080701

<i>Alloy MTB</i>						
Series	<i>Allein</i>		<i>Arnad</i>		<i>Arvier</i>	<i>Avisé</i>
Code	Allein-WH	Allein-BK	Arnad-WH	Arnad-BK	Arvier	Avisé
Profile	19 mm	19 mm	25 mm	25 mm	22 mm	26 mm
Rim	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
	Powder coating White	shot pinning Black	Powder coating White	shot pinning Black	Anodized Black	Anodized Black
Eyelet	Yes	Yes	Yes	Yes	Yes	No
CNC Side Wall	No	No	No	No	Yes	Yes
Rim Joint	Welding	Welding	Sleeve	Sleeve	Pinned	Pinned
Lasing	3 Cross / 3 Cross	3 Cross / 3 Cross	3 Cross / 3 Cross	3 Cross / 3 Cross	3 Cross / 3 Cross	3 Cross / 3 Cross
Hub	2 X 4 Bearing 28 x 28 H	2 X 4 Bearing 28 x 28 H	2 X 4 Bearing 28 x 32 H	2 X 4 Bearing 28 x 32 H	2 X 2 Bearing 28 x 32 H	Rollground 28 x 32 H
Brake	Disc	Disc	Disc	Disc	Disc	Disc
Spoke	Peo Lite 2.0-1.6 Butted Aero 2.3	Peo Lite 2.0-1.6 Butted Aero 2.3	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero	Pro-Lite 3.2 Aero
	Polish Silver	Oxiditaion Black	Oxiditaion Black	Oxiditaion Black	Oxiditaion Black	Oxiditaion Black
Spoke Length :F	264 / 267	264 / 267	264 / 266	264 / 266	261 / 263	258 / 260
Spoke Length :R	264 / 266	264 / 266	258 / 260	258 / 260	256 / 258	253 / 255
Nipple	Alloy	Alloy	Alloy	Alloy	Brass	Brass
Skewer	Quickrelease	Quickrelease	Quickrelease	Quickrelease	Quickrelease	Quickrelease
Nipple Driver	---	---	---	---	---	---
Spoke Holder	---	---	---	---	---	---
Brake Pad	---	---	---	---	---	---
Spare Spoke set	---	---	---	---	---	---
Single Wheel Bag	---	---	---	---	---	---
Weight	F: 742 g R: 858 g (V)	F: 742 g R: 858 g (V)	F: 842 g R : 1082 g (V)	F: 842 g R : 1082 g (V)	F: 1010 g R : 1274 g (V)	F: 1116 g R: 1332 g (V)

Weight information come from Shimano version wheelsets, without Rim tape and Quickrelease